ORACLE Estate Explorer - Group Databases Report All Databases

All Databases - Every database in the on-premises catalog

Group Name **All Databases**	*Group ID* **1221**	*Databases in Group* **416**
Databases Assessed **105**	*Scenario ID* **1063**	*Scenario Name* **Autonomous Shared v7**
Scenario test date **2023-02-15T09:21:51**		

Group Histogram

Database Links Between Group Members

ORACLE Estate Explorer - Group Report Index

P367A	P235A	P158
P476	P362	P087B
P010DISP	P119B	P301
P303	P300	P297
P296	P717	P377
P155	P298	P010OEM
P518A	P087C	P685
P580C	P580B	P580
P580A	PROD187	PROD99
PROD163	P087A	P322
P187	P010RMAN	PROD555
P578O	PROD101	P601B
P601	P418	PROD54
P750	P342A	P343
P342	P341A	P087D
P705M	P381	P419
P126	P341	P713
P119A	P211	P178
P124	P177	P715
P433	P318	PROD19
P118	P214	P292
P342B	P306	P716
P299	P181	P119
P146	P146	P195
P010	PROD13	P055C
P668	P055G	TEST465
TEST23	PROD166	PROD10
TEST789	TEST1019	PROD248
P470	P055R	P600KAR
P700	P240	P104
P101A	P884	P205
P205H	P422	P102A
P112	P055	P795
P793	P228	P794
P578E	P463	P182

ORACLE Estate Explorer - Group Report P367A

Database Information

DB Name **P367A**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **8**
SGA/PGA Memory (Gb) **4.5**	*Database Size (Gb)* **13**	*Max Sessions* **21**
Host Name **st-vdb01.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 1)

Compared to other databases within the All Databases group, P367A requires a lower level of preparation effort.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P235A

Database Information

DB Name **P235A**	*Location* **MARTINEZ**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **2**
SGA/PGA Memory (Gb) **1.8**	*Database Size (Gb)* **7**	*Max Sessions* **41**
Host Name **mo-vdb01.mo.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2640 v3 @ 2.60GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 2)

Compared to other databases within the All Databases group, P235A requires a lower level of preparation effort.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P158

Database Information

DB Name **P158**	*Location* **MARTINEZ**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **6**
SGA/PGA Memory (Gb) **1.7**	*Database Size (Gb)* **5**	*Max Sessions* **20**
Host Name **mo-vdb01.mo.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2640 v3 @ 2.60GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 3)

Compared to other databases within the All Databases group, P158 requires a lower level of preparation effort.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P476

Database Information

DB Name **P476**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **6**
SGA/PGA Memory (Gb) **2.3**	*Database Size (Gb)* **10**	*Max Sessions* **11**
Host Name **st-db144.st.ecom.com,st-db145.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 4)

Compared to other databases within the All Databases group, P476 requires a lower level of preparation effort.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P362

Database Information

DB Name **P362**	*Location* **STANCHER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **2**
SGA/PGA Memory (Gb) **2.9**	*Database Size (Gb)* **22**	*Max Sessions* **112**
Host Name **mmp-db103.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 5)

Compared to other databases within the All Databases group, P362 requires a lower level of preparation effort.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P087B

Database Information

DB Name **P087B**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **6**
SGA/PGA Memory (Gb) **1.4**	*Database Size (Gb)* **53**	*Max Sessions* **337**
Host Name **st-vdb1000.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:49)

Action Summary (Group Ranking 6)

Compared to other databases within the All Databases group, P087B requires a lower level of preparation effort.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P010DISP

Database Information

DB Name **P010DISP**	*Location* **STANCHER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **4**
SGA/PGA Memory (Gb) **1.2**	*Database Size (Gb)* **4**	*Max Sessions* **20**
Host Name **mmp-tdb001.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 7)

Compared to other databases within the All Databases group, P010DISP requires a lower level of preparation effort.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P119B

Database Information

DB Name **P119B**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **6**
SGA/PGA Memory (Gb) **3**	*Database Size (Gb)* **60**	*Max Sessions* **94**
Host Name **st-vdb04.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 8)

Compared to other databases within the All Databases group, P119B requires a lower level of preparation effort.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P301

Database Information

DB Name **P301**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **12**
SGA/PGA Memory (Gb) **2.9**	*Database Size (Gb)* **58**	*Max Sessions* **304**
Host Name **st-db144.st.ecom.com,st-db145.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 9)

Compared to other databases within the All Databases group, P301 requires a lower level of preparation effort.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P303

Database Information

DB Name **P303**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **8**
SGA/PGA Memory (Gb) **2.8**	*Database Size (Gb)* **10**	*Max Sessions* **19**
Host Name **st-vdb01.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 10)

Compared to other databases within the All Databases group, P303 requires a lower level of preparation effort.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P300

Database Information

DB Name **P300**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **8**
SGA/PGA Memory (Gb) **2.9**	*Database Size (Gb)* **23**	*Max Sessions* **154**
Host Name **st-vdb01.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 11)

Compared to other databases within the All Databases group, P300 requires a lower level of preparation effort.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P297

Database Information

DB Name **P297**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **8**
SGA/PGA Memory (Gb) **2.9**	*Database Size (Gb)* **9**	*Max Sessions* **20**
Host Name **st-vdb01.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 12)

Compared to other databases within the All Databases group, P297 requires a lower level of preparation effort.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P296

Database Information

DB Name **P296**	*Location* **SAINT HUGO**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **4**
SGA/PGA Memory (Gb) **1.4**	*Database Size (Gb)* **8**	*Max Sessions* **328**
Host Name **rio-vdb02.rio.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2640 v4 @ 2.40GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 13)

Compared to other databases within the All Databases group, P296 requires a lower level of preparation effort.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P717

Database Information

DB Name **P717**	*Location* **MARTINEZ**	*Environment* **PRODUCTION**
Version **12.1.0.2.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **2**
SGA/PGA Memory (Gb) **1.6**	*Database Size (Gb)* **3**	*Max Sessions* **68**
Host Name **mo-vdb01.mo.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2640 v3 @ 2.60GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 14)

Compared to other databases within the All Databases group, P717 requires a lower level of preparation effort.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P377

Database Information

DB Name **P377**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **6**
SGA/PGA Memory (Gb) **1.2**	*Database Size (Gb)* **79**	*Max Sessions* **21**
Host Name **st-vdb1000.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 15)

Compared to other databases within the All Databases group, P377 requires a lower level of preparation effort.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P155

Database Information

DB Name **P155**	*Location* **MARTINEZ**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **6**
SGA/PGA Memory (Gb) **1.4**	*Database Size (Gb)* **17**	*Max Sessions* **23**
Host Name **mo-vdb01.mo.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2640 v3 @ 2.60GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 16)

Compared to other databases within the All Databases group, P155 requires a lower level of preparation effort.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P298

Database Information

DB Name **P298**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **12**
SGA/PGA Memory (Gb) **2.9**	*Database Size (Gb)* **27**	*Max Sessions* **134**
Host Name **st-db144.st.ecom.com,st-db145.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 17)

Compared to other databases within the All Databases group, P298 requires a lower level of preparation effort.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P010OEM

Database Information

DB Name **P010OEM**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **2**
SGA/PGA Memory (Gb) **9.5**	*Database Size (Gb)* **283**	*Max Sessions* **335**
Host Name **st-vdba01.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☑ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 18)

Compared to other databases within the All Databases group, P010OEM requires a lower level of preparation effort.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P518A

Database Information

DB Name **P518A**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **6**
SGA/PGA Memory (Gb) **1.9**	*Database Size (Gb)* **9**	*Max Sessions* **82**
Host Name **st-vdb1000.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 19)

Compared to other databases within the All Databases group, P518A requires a lower level of preparation effort. There are 1 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P087C

Database Information

DB Name **P087C**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **6**
SGA/PGA Memory (Gb) **1.2**	*Database Size (Gb)* **229**	*Max Sessions* **144**
Host Name **st-vdb1000.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:49)

Action Summary (Group Ranking 20)

Compared to other databases within the All Databases group, P087C requires a lower level of preparation effort. There are 1 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P685

Database Information

DB Name **P685**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **2**
SGA/PGA Memory (Gb) **2.8**	*Database Size (Gb)* **255**	*Max Sessions* **345**
Host Name **st-db144.st.ecom.com,st-db145.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 21)

Compared to other databases within the All Databases group, P685 requires a lower level of preparation effort. There are 1 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P580C

Database Information

DB Name **P580C**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **12**
SGA/PGA Memory (Gb) **2.9**	*Database Size (Gb)* **30**	*Max Sessions* **46**
Host Name **st-db144.st.ecom.com,st-db145.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 22)

Compared to other databases within the All Databases group, P580C requires a lower level of preparation effort. There are 1 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P580B

Database Information

DB Name **P580B**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **12**
SGA/PGA Memory (Gb) **2.9**	*Database Size (Gb)* **29**	*Max Sessions* **42**
Host Name **st-db144.st.ecom.com,st-db145.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 23)

Compared to other databases within the All Databases group, P580B requires a lower level of preparation effort. There are 1 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P580

Database Information

DB Name **P580**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **2**
SGA/PGA Memory (Gb) **2.9**	*Database Size (Gb)* **30**	*Max Sessions* **42**
Host Name **st-db144.st.ecom.com,st-db145.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 24)

Compared to other databases within the All Databases group, P580 requires a lower level of preparation effort. There are 1 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P580A

Database Information

DB Name **P580A**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **2**
SGA/PGA Memory (Gb) **2.8**	*Database Size (Gb)* **30**	*Max Sessions* **186**
Host Name **st-db144.st.ecom.com,st-db145.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 25)

Compared to other databases within the All Databases group, P580A requires a lower level of preparation effort. There are 1 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report PROD187

Database Information

DB Name **PROD187**	*Location* **MORRISTOWN**	*Environment* **TEST**
Version **12.1.0.2.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **8**
SGA/PGA Memory (Gb) **0.9**	*Database Size (Gb)* **955**	*Max Sessions* **85**
Host Name **mmp-tdb555.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 26)

Compared to other databases within the All Databases group, T439A requires a lower level of preparation effort. There are 1 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report PROD99

Database Information

DB Name **PROD99**	*Location* **MORRISTOWN**	*Environment* **PRODUCTION**
Version **12.1.0.2.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **12**
SGA/PGA Memory (Gb) **8.2**	*Database Size (Gb)* **955**	*Max Sessions* **21**
Host Name **mmp-db503.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 27)

Compared to other databases within the All Databases group, P439 requires a lower level of preparation effort. There are 1 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report PROD163

Database Information

DB Name **PROD163**	*Location* **MORRISTOWN**	*Environment* **TEST**
Version **12.1.0.2.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **8**
SGA/PGA Memory (Gb) **7**	*Database Size (Gb)* **640**	*Max Sessions* **69**
Host Name **mmp-tdb555.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 28)

Compared to other databases within the All Databases group, T411A requires a lower level of preparation effort. There are 1 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P087A

Database Information

DB Name **P087A**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **6**
SGA/PGA Memory (Gb) **1.2**	*Database Size (Gb)* **62**	*Max Sessions* **342**
Host Name **st-vdb1000.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:49)

Action Summary (Group Ranking 29)

Compared to other databases within the All Databases group, P087A requires a lower level of preparation effort. There are 1 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P322

Database Information

DB Name **P322**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **8**
SGA/PGA Memory (Gb) **2.8**	*Database Size (Gb)* **243**	*Max Sessions* **187**
Host Name **st-vdb01.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 30)

Compared to other databases within the All Databases group, P322 requires a lower level of preparation effort. There are 1 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P187

Database Information

DB Name **P187**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **2**
SGA/PGA Memory (Gb) **2.9**	*Database Size (Gb)* **42**	*Max Sessions* **191**
Host Name **st-db144.st.ecom.com,st-db145.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☑ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 31)

Compared to other databases within the All Databases group, P187 requires a lower level of preparation effort. There are 1 references to restricted packages that may need to be revised to adhere to Oracle network security policies.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P010RMAN

Database Information

DB Name **P010RMAN**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **12**
SGA/PGA Memory (Gb) **5**	*Database Size (Gb)* **70**	*Max Sessions* **15**
Host Name **st-vdb10.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 32)

Compared to other databases within the All Databases group, P010RMAN requires a lower level of preparation effort. There are 1 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. There are 1 references to restricted packages that may need to be revised to adhere to Oracle network security policies.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report PROD555

Database Information

DB Name **PROD555**	*Location* **BERLIN**	*Environment* **TEST**
Version **12.1.0.2.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **8**
SGA/PGA Memory (Gb) **5**	*Database Size (Gb)* **1540**	*Max Sessions* **15**
Host Name **mmp-tdb554.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 33)

Compared to other databases within the All Databases group, T450J requires a lower level of preparation effort. There are 1 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. There are 1 XML Types that may need to be revised. This will depend on their implementation.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P578O

Database Information

DB Name **P578O**	*Location* **JORUNTA**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **6**
SGA/PGA Memory (Gb) **1.7**	*Database Size (Gb)* **6**	*Max Sessions* **54**
Host Name **hou-vdb03.hou.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 34)

Compared to other databases within the All Databases group, P578O requires a lower level of preparation effort. There are 2 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report PROD101

Database Information

DB Name **PROD101**	*Location* **MORRISTOWN**	*Environment* **PRODUCTION**
Version **12.1.0.2.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **18**
SGA/PGA Memory (Gb) **6.1**	*Database Size (Gb)* **468**	*Max Sessions* **33**
Host Name **mmp-db501.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 35)

Compared to other databases within the All Databases group, P411 requires a lower level of preparation effort. There are 2 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P601B

Database Information

DB Name **P601B**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **18**
SGA/PGA Memory (Gb) **4.4**	*Database Size (Gb)* **10**	*Max Sessions* **186**
Host Name **st-db144.st.ecom.com,st-db144.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 36)

Compared to other databases within the All Databases group, P601B requires a lower level of preparation effort. There are 2 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P601

Database Information

DB Name **P601**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **18**
SGA/PGA Memory (Gb) **4.4**	*Database Size (Gb)* **14**	*Max Sessions* **36**
Host Name **st-db144.st.ecom.com,st-db145.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 37)

Compared to other databases within the All Databases group, P601 requires a lower level of preparation effort. There are 2 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P418

Database Information

DB Name **P418**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **6**
SGA/PGA Memory (Gb) **2.9**	*Database Size (Gb)* **27**	*Max Sessions* **342**
Host Name **st-vdb1000.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 38)

Compared to other databases within the All Databases group, P418 requires a lower level of preparation effort. There are 2 references to restricted packages that may need to be revised to adhere to Oracle network security policies.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report PROD54

Database Information

DB Name **PROD54**	*Location* **MORRISTOWN**	*Environment* **DEVELOPMENT**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **12**
SGA/PGA Memory (Gb) **5**	*Database Size (Gb)* **1541**	*Max Sessions* **467**
Host Name **mmp-tdb553.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 39)

Compared to other databases within the All Databases group, U450E requires a lower level of preparation effort. There are 1 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. There are 1 database links. These will need to be redeployed in Autonomous Database. There are 1 XML Types that may need to be revised. This will depend on their implementation.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P750

Database Information

DB Name **P750**	*Location* **MARTINEZ**	*Environment* **PRODUCTION**
Version **12.1.0.2.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **2**
SGA/PGA Memory (Gb) **2.5**	*Database Size (Gb)* **9**	*Max Sessions*
Host Name **mo-vdb01.mo.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2640 v3 @ 2.60GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 40)

Compared to other databases within the All Databases group, P750 requires a lower level of preparation effort. There are 3 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P342A

Database Information

DB Name **P342A**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **4**
SGA/PGA Memory (Gb) **1.2**	*Database Size (Gb)* **2460**	*Max Sessions* **341**
Host Name **st-vdb05.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 41)

Compared to other databases within the All Databases group, P342A requires a lower level of preparation effort. There are 6 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P343

Database Information

DB Name **P343**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **4**
SGA/PGA Memory (Gb) **2.7**	*Database Size (Gb)* **2400**	*Max Sessions* **357**
Host Name **st-vdb05.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 42)

Compared to other databases within the All Databases group, P343 requires a lower level of preparation effort. There are 6 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P342

Database Information

DB Name **P342**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **4**
SGA/PGA Memory (Gb) **1.7**	*Database Size (Gb)* **2380**	*Max Sessions* **351**
Host Name **st-vdb05.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 43)

Compared to other databases within the All Databases group, P342 requires a lower level of preparation effort. There are 6 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P341A

Database Information

DB Name **P341A**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **12.1.0.2.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **2**
SGA/PGA Memory (Gb) **3.7**	*Database Size (Gb)* **5674**	*Max Sessions* **355**
Host Name **st-db144.st.ecom.com,st-db145.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 44)

Compared to other databases within the All Databases group, P341A requires a lower level of preparation effort. There are 1 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead. There are 1 database links. These will need to be redeployed in Autonomous Database. There are 3 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P087D

Database Information

DB Name **P087D**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **6**
SGA/PGA Memory (Gb) **1.2**	*Database Size (Gb)* **104**	*Max Sessions* **80**
Host Name **st-vdb1000.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:49)

Action Summary (Group Ranking 45)

Compared to other databases within the All Databases group, P087D requires a lower level of preparation effort. There are 4 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P705M

Database Information

DB Name **P705M**	*Location* **MARTINEZ**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **2**
SGA/PGA Memory (Gb) **1.8**	*Database Size (Gb)* **4**	*Max Sessions* **27**
Host Name **mo-vdb01.mo.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2640 v3 @ 2.60GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 46)

Compared to other databases within the All Databases group, P705M requires a lower level of preparation effort. There are 4 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P381

Database Information

DB Name **P381**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **6**
SGA/PGA Memory (Gb) **1.2**	*Database Size (Gb)* **6**	*Max Sessions* **18**
Host Name **st-vdb1000.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 47)

Compared to other databases within the All Databases group, P381 requires a lower level of preparation effort. There are 4 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P419

Database Information

DB Name **P419**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **6**
SGA/PGA Memory (Gb) **8**	*Database Size (Gb)* **1518**	*Max Sessions* **123**
Host Name **st-vdb1007.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☑ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 48)

Compared to other databases within the All Databases group, P419 requires a lower level of preparation effort. There are 1 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead. There are 3 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P126

Database Information

DB Name **P126**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **18**
SGA/PGA Memory (Gb) **4.4**	*Database Size (Gb)* **30**	*Max Sessions* **245**
Host Name **st-vdb1031.st.ecom.com**	*CPU* **Intel(R) Xeon(R) Platinum 8160 CPU @ 2.10GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 49)

Compared to other databases within the All Databases group, P126 requires a lower level of preparation effort. There are 4 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P341

Database Information

DB Name **P341**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **12.1.0.2.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **88**
SGA/PGA Memory (Gb) **2.8**	*Database Size (Gb)* **653**	*Max Sessions* **232**
Host Name **st-db144.st.ecom.com,st-db145.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 50)

Compared to other databases within the All Databases group, P341 requires a lower level of preparation effort. There are 7 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P713

Database Information

DB Name **P713**	*Location* **MARTINEZ**	*Environment* **PRODUCTION**
Version **12.1.0.2.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **2**
SGA/PGA Memory (Gb) **1.7**	*Database Size (Gb)* **15**	*Max Sessions* **60**
Host Name **mo-vdb01.mo.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2640 v3 @ 2.60GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 51)

Compared to other databases within the All Databases group, P713 requires a lower level of preparation effort. There are 2 database links. These will need to be redeployed in Autonomous Database. There are 2 references to restricted packages that may need to be revised to adhere to Oracle network security policies.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P119A

Database Information

DB Name **P119A**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **2**
SGA/PGA Memory (Gb) **3.6**	*Database Size (Gb)* **672**	*Max Sessions* **36**
Host Name **st-vdb04.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 52)

Compared to other databases within the All Databases group, P119A requires a lower level of preparation effort. There are 1 database links. These will need to be redeployed in Autonomous Database. There are 3 references to restricted packages that may need to be revised to adhere to Oracle network security policies.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P211

Database Information

DB Name **P211**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **2**
SGA/PGA Memory (Gb) **2.8**	*Database Size (Gb)* **46**	*Max Sessions* **54**
Host Name **st-db144.st.ecom.com,st-db145.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 53)

Compared to other databases within the All Databases group, P211 requires a lower level of preparation effort. There are 5 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P178

Database Information

DB Name **P178**	*Location* **SAINT HUGO**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **2**
SGA/PGA Memory (Gb) **1.7**	*Database Size (Gb)* **11**	*Max Sessions* **40**
Host Name **rio-vdb02.rio.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2640 v4 @ 2.40GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 54)

Compared to other databases within the All Databases group, P178 requires a lower level of preparation effort. There are 5 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P124

Database Information

DB Name **P124**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **6**
SGA/PGA Memory (Gb) **3.4**	*Database Size (Gb)* **21**	*Max Sessions* **192**
Host Name **st-db144.st.ecom.com,st-db145.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 55)

Compared to other databases within the All Databases group, P124 requires a lower level of preparation effort. There are 6 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P177

Database Information

DB Name **P177**	*Location* **SAINT HUGO**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **2**
SGA/PGA Memory (Gb) **1.2**	*Database Size (Gb)* **7**	*Max Sessions* **39**
Host Name **rio-vdb02.rio.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2640 v4 @ 2.40GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 56)

Compared to other databases within the All Databases group, P177 requires a lower level of preparation effort. There are 2 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 5 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P715

Database Information

DB Name **P715**	*Location* **MARTINEZ**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **6**
SGA/PGA Memory (Gb) **1.9**	*Database Size (Gb)* **34**	*Max Sessions*
Host Name **mo-vdb01.mo.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2640 v3 @ 2.60GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 57)

Compared to other databases within the All Databases group, P715 requires a lower level of preparation effort. There are 8 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P433

Database Information

DB Name **P433**	*Location* **MARTINEZ**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **2**
SGA/PGA Memory (Gb) **3.2**	*Database Size (Gb)* **5**	*Max Sessions* **19**
Host Name **mo-vdb01.mo.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2640 v3 @ 2.60GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 58)

Compared to other databases within the All Databases group, P433 requires a lower level of preparation effort. There are 1 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 7 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P318

Database Information

DB Name **P318**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **6**
SGA/PGA Memory (Gb) **2.9**	*Database Size (Gb)* **30**	*Max Sessions* **26**
Host Name **st-db144.st.ecom.com,st-db145.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 59)

Compared to other databases within the All Databases group, P318 requires a lower level of preparation effort. There are 2 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead. There are 2 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 4 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report PROD19

Database Information

DB Name **PROD19**	*Location* **MORRISTOWN**	*Environment* **PRODUCTION**
Version **12.1.0.2.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **2**
SGA/PGA Memory (Gb) **54**	*Database Size (Gb)* **1541**	*Max Sessions* **624**
Host Name **mmp-db501.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 60)

Compared to other databases within the All Databases group, P450 requires a lower level of preparation effort. There are 1 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. There are 1 XML Types that may need to be revised. This will depend on their implementation. There are 7 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P118

Database Information

DB Name **P118**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **6**
SGA/PGA Memory (Gb) **5.5**	*Database Size (Gb)* **518**	*Max Sessions* **424**
Host Name **st-vdb04.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☑ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 61)

Compared to other databases within the All Databases group, P118 requires a lower level of preparation effort. There are 3 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 6 database links. These will need to be redeployed in Autonomous Database.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P214

Database Information

DB Name **P214**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **12.1.0.2.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **6**
SGA/PGA Memory (Gb) **3.8**	*Database Size (Gb)* **357**	*Max Sessions* **213**
Host Name **st-db144.st.ecom.com,st-db145.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 62)

Compared to other databases within the All Databases group, P214 requires a lower level of preparation effort. There are 11 database links. These will need to be redeployed in Autonomous Database. With this number of database links further analysis might be considered to understand any integration dependencies.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P292

Database Information

DB Name **P292**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **4**
SGA/PGA Memory (Gb) **2.2**	*Database Size (Gb)* **7**	*Max Sessions* **37**
Host Name **st-vdb05.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 63)

Compared to other databases within the All Databases group, P292 requires a lower level of preparation effort. There are 1 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 12 database links. These will need to be redeployed in Autonomous Database. With this number of database links further analysis might be considered to understand any integration dependencies.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P342B

Database Information

DB Name **P342B**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **4**
SGA/PGA Memory (Gb) **1.2**	*Database Size (Gb)* **210**	*Max Sessions* **355**
Host Name **st-vdb05.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 64)

Compared to other databases within the All Databases group, P342B requires a lower level of preparation effort. There are 1 database links. These will need to be redeployed in Autonomous Database. There are 24 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P306

Database Information

DB Name **P306**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **6**
SGA/PGA Memory (Gb) **4.9**	*Database Size (Gb)* **57**	*Max Sessions* **20**
Host Name **st-db144.st.ecom.com,st-db145.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 65)

Compared to other databases within the All Databases group, P306 requires a lower level of preparation effort. There are 1 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 16 database links. These will need to be redeployed in Autonomous Database. With this number of database links further analysis might be considered to understand any integration dependencies.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P716

Database Information

DB Name **P716**	*Location* **MARTINEZ**	*Environment* **PRODUCTION**
Version **12.1.0.2.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **6**
SGA/PGA Memory (Gb) **2.1**	*Database Size (Gb)* **23**	*Max Sessions* **231**
Host Name **mo-vdb01.mo.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2640 v3 @ 2.60GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 66)

Compared to other databases within the All Databases group, P716 requires a lower level of preparation effort. There are 2 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 15 database links. These will need to be redeployed in Autonomous Database. With this number of database links further analysis might be considered to understand any integration dependencies.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P299

Database Information

DB Name **P299**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **8**
SGA/PGA Memory (Gb) **3.6**	*Database Size (Gb)* **59**	*Max Sessions* **207**
Host Name **st-vdb01.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☑ *Spatial*	☑ *XMLDB*
☑ *Text*	☑ *Java VM*	☐ *RAC*
☑ *Advanced Security*	☑ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:49)

Action Summary (Group Ranking 67)

Compared to other databases within the All Databases group, P299 requires a lower level of preparation effort. There are 2 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. There are 13 references to restricted packages that may need to be revised to adhere to Oracle network security policies.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P181

Database Information

DB Name **P181**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **8**
SGA/PGA Memory (Gb) **2.2**	*Database Size (Gb)* **14**	*Max Sessions* **11**
Host Name **st-db144.st.ecom.com,st-db145.st.ecom.com,st-db144.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☑ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 68)

Compared to other databases within the All Databases group, P181 requires a lower level of preparation effort. There are 2 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 10 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. There are 14 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P119

Database Information

DB Name **P119**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **2**
SGA/PGA Memory (Gb) **1.7**	*Database Size (Gb)* **13**	*Max Sessions* **80**
Host Name **st-vdb04.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☑ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 69)

Compared to other databases within the All Databases group, P119 requires a lower level of preparation effort. There are 3 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 21 database links. These will need to be redeployed in Autonomous Database. With this number of database links further analysis might be considered to understand any integration dependencies.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P146

Database Information

DB Name **P146**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **2**
SGA/PGA Memory (Gb) **3.4**	*Database Size (Gb)* **34**	*Max Sessions* **33**
Host Name **st-db144.st.ecom.com,st-db145.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 70)

Compared to other databases within the All Databases group, P146 requires a lower level of preparation effort. There are 2 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 25 database links. These will need to be redeployed in Autonomous Database. With this number of database links further analysis might be considered to understand any integration dependencies.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P146

Database Information

DB Name **P146**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **18**
SGA/PGA Memory (Gb) **3.4**	*Database Size (Gb)* **34**	*Max Sessions* **33**
Host Name **st-vdb1031.st.ecom.com**	*CPU* **Intel(R) Xeon(R) Platinum 8160 CPU @ 2.10GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 71)

Compared to other databases within the All Databases group, P146 requires a lower level of preparation effort. There are 2 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 25 database links. These will need to be redeployed in Autonomous Database. With this number of database links further analysis might be considered to understand any integration dependencies.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P195

Database Information

DB Name **P195**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **8**
SGA/PGA Memory (Gb) **2.8**	*Database Size (Gb)* **32**	*Max Sessions* **144**
Host Name **st-vdb1006.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☑ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 72)

Compared to other databases within the All Databases group, P195 requires a lower level of preparation effort. There are 2 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 14 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. There are 18 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P010

Database Information

DB Name **P010**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **12**
SGA/PGA Memory (Gb) **2.3**	*Database Size (Gb)* **471**	*Max Sessions* **265**
Host Name **st-vdb10.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☑ *Advanced Security*	☑ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 73)

Compared to other databases within the All Databases group, P010 requires a lower level of preparation effort. There are 1 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead. There are 6 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 23 database links. These will need to be redeployed in Autonomous Database. With this number of database links further analysis might be considered to understand any integration dependencies.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report PROD13

Database Information

DB Name **PROD13**	*Location* **PARIS**	*Environment* **PRODUCTION**
Version **12.1.0.2.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **6**
SGA/PGA Memory (Gb) **3.1**	*Database Size (Gb)* **294**	*Max Sessions* **120**
Host Name **st-vdb11.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 74)

Compared to other databases within the All Databases group, P455 requires a lower level of preparation effort. There are 32 database links. These will need to be redeployed in Autonomous Database. This number of database links suggests a high dependency between databases. Careful consideration should be given as to whether these databases should be grouped for migration purposes.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P055C

Database Information

DB Name **P055C**	*Location* **DERWENT**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **4**
SGA/PGA Memory (Gb) **1.7**	*Database Size (Gb)* **12**	*Max Sessions* **16**
Host Name **stjohn-vdb01.stjohn.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2660 v3 @ 2.60GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 75)

Compared to other databases within the All Databases group, P055C requires a lower level of preparation effort. There are 1 database links. These will need to be redeployed in Autonomous Database. There are 36 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P668

Database Information

DB Name **P668**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **8**
SGA/PGA Memory (Gb) **1.9**	*Database Size (Gb)* **629**	*Max Sessions* **40**
Host Name **st-vdb1006.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☑ *Text*	☑ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 76)

Compared to other databases within the All Databases group, P668 requires a lower level of preparation effort. There are 2 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 21 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. There are 26 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P055G

Database Information

DB Name **P055G**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **2**
SGA/PGA Memory (Gb) **2.8**	*Database Size (Gb)* **25**	*Max Sessions* **63**
Host Name **st-db144.st.ecom.com,st-db145.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 77)

Compared to other databases within the All Databases group, P055G requires a lower level of preparation effort. There are 4 database links. These will need to be redeployed in Autonomous Database. There are 5 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 34 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report TEST465

Database Information

DB Name **TEST465**	*Location* **MORRISTOWN**	*Environment* **TEST**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **8**
SGA/PGA Memory (Gb) **2.8**	*Database Size (Gb)* **963**	*Max Sessions* **829**
Host Name **st-vtdb19.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☑ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 78)

Compared to other databases within the All Databases group, T014L requires a lower level of preparation effort. There are 2 java objects. While this is a small number, consideration should be given to the fact that the JVM in autonomous is managed by Oracle. There are 11 database links. These will need to be redeployed in Autonomous Database. With this number of database links further analysis might be considered to understand any integration dependencies. There are 12 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 16 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report TEST23

Database Information

DB Name **TEST23**	*Location* **CAPE MAY**	*Environment* **DEVELOPMENT**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **8**
SGA/PGA Memory (Gb) **6.4**	*Database Size (Gb)* **984**	*Max Sessions* **829**
Host Name **st-vtdb19.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☑ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 79)

Compared to other databases within the All Databases group, U014R requires a lower level of preparation effort. There are 2 java objects. While this is a small number, consideration should be given to the fact that the JVM in autonomous is managed by Oracle. There are 11 database links. These will need to be redeployed in Autonomous Database. With this number of database links further analysis might be considered to understand any integration dependencies. There are 12 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 16 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report PROD166

Database Information

DB Name **PROD166**	*Location* **LONDON**	*Environment* **DEVELOPMENT**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **4**
SGA/PGA Memory (Gb) **7.8**	*Database Size (Gb)* **831**	*Max Sessions* **829**
Host Name **st-vdb1002.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☑ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 80)

Compared to other databases within the All Databases group, U014C requires a lower level of preparation effort. There are 2 java objects. While this is a small number, consideration should be given to the fact that the JVM in autonomous is managed by Oracle. There are 11 database links. These will need to be redeployed in Autonomous Database. With this number of database links further analysis might be considered to understand any integration dependencies. There are 12 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 16 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report PROD10

Database Information

DB Name **PROD10**	*Location* **MORRISTOWN**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **24**
SGA/PGA Memory (Gb) **40**	*Database Size (Gb)* **970**	*Max Sessions* **829**
Host Name **st-vdb32.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☑ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 81)

Compared to other databases within the All Databases group, P014 requires a lower level of preparation effort. There are 2 java objects. While this is a small number, consideration should be given to the fact that the JVM in autonomous is managed by Oracle. There are 11 database links. These will need to be redeployed in Autonomous Database. With this number of database links further analysis might be considered to understand any integration dependencies. There are 12 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 16 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report TEST789

Database Information

DB Name **TEST789**	*Location* **CAPE MAY**	*Environment* **TEST**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **8**
SGA/PGA Memory (Gb) **24**	*Database Size (Gb)* **959**	*Max Sessions* **829**
Host Name **st-vtdb35.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☑ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 82)

Compared to other databases within the All Databases group, T014 requires a lower level of preparation effort. There are 2 java objects. While this is a small number, consideration should be given to the fact that the JVM in autonomous is managed by Oracle. There are 11 database links. These will need to be redeployed in Autonomous Database. With this number of database links further analysis might be considered to understand any integration dependencies. There are 12 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 16 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report TEST1019

Database Information

DB Name **TEST1019**	*Location* **BERLIN**	*Environment* **DEVELOPMENT**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **8**
SGA/PGA Memory (Gb) **13**	*Database Size (Gb)* **917**	*Max Sessions* **829**
Host Name **st-vtdb19.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☑ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 83)

Compared to other databases within the All Databases group, U014 requires a lower level of preparation effort. There are 2 java objects. While this is a small number, consideration should be given to the fact that the JVM in autonomous is managed by Oracle. There are 12 database links. These will need to be redeployed in Autonomous Database. With this number of database links further analysis might be considered to understand any integration dependencies. There are 12 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 16 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report PROD248

Database Information

DB Name **PROD248**	*Location* **MORRISTOWN**	*Environment* **DEVELOPMENT**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **8**
SGA/PGA Memory (Gb) **1.2**	*Database Size (Gb)* **851**	*Max Sessions* **829**
Host Name **st-vtdb19.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☑ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 84)

Compared to other databases within the All Databases group, U014A requires a lower level of preparation effort. There are 2 java objects. While this is a small number, consideration should be given to the fact that the JVM in autonomous is managed by Oracle. There are 12 database links. These will need to be redeployed in Autonomous Database. With this number of database links further analysis might be considered to understand any integration dependencies. There are 12 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 16 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P470

Database Information

DB Name **P470**	*Location* **STANCHER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **8**
SGA/PGA Memory (Gb) **10.5**	*Database Size (Gb)* **6**	*Max Sessions* **19**
Host Name **mmp-db103.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 85)

Compared to other databases within the All Databases group, P470 requires a lower level of preparation effort. There are 1 database links. These will need to be redeployed in Autonomous Database. There are 10 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. There are 31 references to restricted packages that may need to be revised to adhere to Oracle network security policies.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P055R

Database Information

DB Name **P055R**	*Location* **SAINT HUGO**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **4**
SGA/PGA Memory (Gb) **1.7**	*Database Size (Gb)* **21**	*Max Sessions* **26**
Host Name **rio-vdb02.rio.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2640 v4 @ 2.40GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 86)

Compared to other databases within the All Databases group, P055R requires a lower level of preparation effort. There are 58 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P600KAR

Database Information

DB Name **P600KAR**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **12.1.0.2.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **18**
SGA/PGA Memory (Gb) **2.9**	*Database Size (Gb)* **47**	*Max Sessions* **365**
Host Name **st-db144.st.ecom.com,st-db145.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☑ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 87)

Compared to other databases within the All Databases group, P600KAR requires a lower level of preparation effort. There are 55 references to restricted packages that may need to be revised to adhere to Oracle network security policies.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P700

Database Information

DB Name **P700**	*Location* **JORUNTA**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **6**
SGA/PGA Memory (Gb) **2.4**	*Database Size (Gb)* **38**	*Max Sessions* **16**
Host Name **hou-vdb03.hou.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 88)

Compared to other databases within the All Databases group, P700 requires a lower level of preparation effort. There are 2 database links. These will need to be redeployed in Autonomous Database. There are 68 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P240

Database Information

DB Name **P240**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **8**
SGA/PGA Memory (Gb) **4.7**	*Database Size (Gb)* **20**	*Max Sessions* **405**
Host Name **st-vdb01.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-4650 0 @ 2.70GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 89)

Compared to other databases within the All Databases group, P240 requires a lower level of preparation effort. There are 1 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 85 database links. These will need to be redeployed in Autonomous Database. This number of database links suggests a high dependency between databases. Careful consideration should be given as to whether these databases should be grouped for migration purposes.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P104

Database Information

DB Name **P104**	*Location* **JORUNTA**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **6**
SGA/PGA Memory (Gb) **1.6**	*Database Size (Gb)* **11**	*Max Sessions* **42**
Host Name **hou-vdb02.hou.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☑ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 90)

Compared to other databases within the All Databases group, P104 requires a lower level of preparation effort. There are 2 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 57 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. Given the number of IOTS in the database, regression testing for performance reasons may be advisable.There are 61 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P101A

Database Information

DB Name **P101A**	*Location* **JORUNTA**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **6**
SGA/PGA Memory (Gb) **6.4**	*Database Size (Gb)* **468**	*Max Sessions* **343**
Host Name **hou-vdb02.hou.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☑ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 91)

Compared to other databases within the All Databases group, P101A requires a lower level of preparation effort. There are 3 database links. These will need to be redeployed in Autonomous Database. There are 17 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 42 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. There are 50 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P884

Database Information

DB Name **P884**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **6**
SGA/PGA Memory (Gb) **2.8**	*Database Size (Gb)* **67**	*Max Sessions* **20**
Host Name **st-db144.st.ecom.com,st-db145.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☑ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 92)

Compared to other databases within the All Databases group, P884 requires a lower level of preparation effort. There are 2 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 62 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. Given the number of IOTS in the database, regression testing for performance reasons may be advisable.There are 66 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P205

Database Information

DB Name **P205**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **8**
SGA/PGA Memory (Gb) **2.3**	*Database Size (Gb)* **21**	*Max Sessions* **26**
Host Name **st-db144.st.ecom.com,st-db144.st.ecom.com,st-db145.st.ecom.com,st-db144.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☑ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 93)

Compared to other databases within the All Databases group, P205 requires a lower level of preparation effort. There are 2 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 90 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. Given the number of IOTS in the database, regression testing for performance reasons may be advisable.There are 94 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P205H

Database Information

DB Name **P205H**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **8**
SGA/PGA Memory (Gb) **2.2**	*Database Size (Gb)* **21**	*Max Sessions* **26**
Host Name **st-vdb1006.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☑ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 94)

Compared to other databases within the All Databases group, P205H requires a lower level of preparation effort. There are 2 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 90 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. Given the number of IOTS in the database, regression testing for performance reasons may be advisable.There are 94 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P422

Database Information

DB Name **P422**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **6**
SGA/PGA Memory (Gb) **2.8**	*Database Size (Gb)* **523**	*Max Sessions* **23**
Host Name **st-db145.st.ecom.com,st-db144.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☑ *Text*	☑ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 95)

Compared to other databases within the All Databases group, P422 requires a lower level of preparation effort. There are 2 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 9 database links. These will need to be redeployed in Autonomous Database. There are 160 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. Given the number of IOTS in the database, regression testing for performance reasons may be advisable.There are 166 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P102A

Database Information

DB Name **P102A**	*Location* **JORUNTA**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **6**
SGA/PGA Memory (Gb) **3.4**	*Database Size (Gb)* **148**	*Max Sessions* **744**
Host Name **hou-vdb02.hou.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☑ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 96)

Compared to other databases within the All Databases group, P102A requires a lower level of preparation effort. There are 14 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 163 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. Given the number of IOTS in the database, regression testing for performance reasons may be advisable.There are 198 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

No database links originate from this database

Back to Index

ORACLE Estate Explorer - Group Report P112

Database Information

DB Name **P112**	*Location* **JORUNTA**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **6**
SGA/PGA Memory (Gb) **2.9**	*Database Size (Gb)* **335**	*Max Sessions* **414**
Host Name **hou-vdb03.hou.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☑ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 97)

Compared to other databases within the All Databases group, P112 requires a lower level of preparation effort. There are 2 database links. These will need to be redeployed in Autonomous Database. There are 2 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 234 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. Given the number of IOTS in the database, regression testing for performance reasons may be advisable.There are 244 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P055

Database Information

DB Name **P055**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **18**
SGA/PGA Memory (Gb) **4.4**	*Database Size (Gb)* **61**	*Max Sessions* **16**
Host Name **st-db144.st.ecom.com,st-db144.st.ecom.com,st-db145.st.ecom.com,st-db145.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 98)

Compared to other databases within the All Databases group, P055 requires a lower level of preparation effort. There are 6 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 8 database links. These will need to be redeployed in Autonomous Database. There are 450 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P795

Database Information

DB Name **P795**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **6**
SGA/PGA Memory (Gb) **2.9**	*Database Size (Gb)* **36**	*Max Sessions* **29**
Host Name **st-vdb1000.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☑ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 99)

Compared to other databases within the All Databases group, P795 requires a lower level of preparation effort. There are 4 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 7 database links. These will need to be redeployed in Autonomous Database. There are 312 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. Given the number of IOTS in the database, regression testing for performance reasons may be advisable.There are 316 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P793

Database Information

DB Name **P793**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **8**
SGA/PGA Memory (Gb) **2**	*Database Size (Gb)* **175**	*Max Sessions* **661**
Host Name **st-vdb1006.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☑ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 100)

Compared to other databases within the All Databases group, P793 requires a lower level of preparation effort. There are 2 database links. These will need to be redeployed in Autonomous Database. There are 4 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 356 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. Given the number of IOTS in the database, regression testing for performance reasons may be advisable.There are 360 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P228

Database Information

DB Name **P228**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **8**
SGA/PGA Memory (Gb) **4.2**	*Database Size (Gb)* **37**	*Max Sessions* **200**
Host Name **st-db144.st.ecom.com,st-db145.st.ecom.com,st-db144.st.ecom.com,st-db145.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☑ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 101)

Compared to other databases within the All Databases group, P228 requires a lower level of preparation effort. There are 5 database links. These will need to be redeployed in Autonomous Database. There are 7 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 402 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. Given the number of IOTS in the database, regression testing for performance reasons may be advisable.There are 425 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P794

Database Information

DB Name **P794**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **8**
SGA/PGA Memory (Gb) **1.9**	*Database Size (Gb)* **11**	*Max Sessions*
Host Name **st-vdb1006.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☑ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 102)

Compared to other databases within the All Databases group, P794 requires a lower level of preparation effort. There are 1 database links. These will need to be redeployed in Autonomous Database. There are 2 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 442 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. Given the number of IOTS in the database, regression testing for performance reasons may be advisable.There are 446 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P578E

Database Information

DB Name **P578E**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **YES**	*Platform* **PHYSICAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT (RAC)**	*Database Cores* **6**
SGA/PGA Memory (Gb) **9**	*Database Size (Gb)* **351**	*Max Sessions* **170**
Host Name **st-db145.st.ecom.com,st-db144.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2699 v4 @ 2.20GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☐ *Text*	☑ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 103)

Compared to other databases within the All Databases group, P578E requires a lower level of preparation effort. There are 9 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. There are 5 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 13 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead. There are 83 database links. These will need to be redeployed in Autonomous Database. This number of database links suggests a high dependency between databases. Careful consideration should be given as to whether these databases should be grouped for migration purposes. There are 503 java objects. This is a substantial investment in Java and consideration should be given to any operational complexities of running important Java applications on a managed JVM.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P463

Database Information

DB Name **P463**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **8**
SGA/PGA Memory (Gb) **2.4**	*Database Size (Gb)* **121**	*Max Sessions* **364**
Host Name **st-vdb1006.st.ecom.com**	*CPU* **Intel(R) Xeon(R) CPU E5-2670 v3 @ 2.30GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☑ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:51)

Action Summary (Group Ranking 104)

Compared to other databases within the All Databases group, P463 requires a higher level of preparation effort. There are 2 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 4 database links. These will need to be redeployed in Autonomous Database. There are 2220 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. Given the number of IOTS in the database, regression testing for performance reasons may be advisable.There are 2224 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

Back to Index

ORACLE Estate Explorer - Group Report P182

Database Information

DB Name **P182**	*Location* **KIDDERMINSTER**	*Environment* **PRODUCTION**
Version **19.0.0.0.0**	*Hyperthreading* **NO**	*Platform* **VIRTUAL**
Operating System **Linux**	*Type* **NON MULTI-TENANT**	*Database Cores* **8**
SGA/PGA Memory (Gb) **13**	*Database Size (Gb)* **2625**	*Max Sessions* **10**
Host Name **st-vdb1035.st.ecom.com**	*CPU* **Intel(R) Xeon(R) Platinum 8260 CPU @ 2.40GHz**	

Database Options

☐ *OLAP*	☐ *Spatial*	☑ *XMLDB*
☑ *Text*	☐ *Java VM*	☐ *RAC*
☐ *Advanced Security*	☐ *DB Vault*	

Action Items Analysis (Scenario: run on 15-FEB-2023 09:21:50)

Action Summary (Group Ranking 105)

Compared to other databases within the All Databases group, P182 requires a higher level of preparation effort. There are 2 references to restricted packages that may need to be revised to adhere to Oracle network security policies. There are 5 database links. These will need to be redeployed in Autonomous Database. There are 2542 Index Organized Tables (IOTS) which will automatically built as standard heap tables in Autonomous. Given the number of IOTS in the database, regression testing for performance reasons may be advisable.There are 2548 columns with a rowid datatype. Rowids are supported in Autonomous. However, there are some operational activities that mean there is no guarantee that rowids will not change. It may be preferable to consider moving towards using primary keys instead.

Database Links

Back to Index

ORACLE Copyright © 2023, Oracle and/or its affiliates / Confidential